



– Fluoresan Armatürler Fluorescent Luminaires –





## VENTUS




Malzeme : Alüminyum profil ve enjeksiyon gövde, akrilik ön kapak  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik balast gövdeye montajlıdır

Material : Extruded aluminium and die-cast body, acrylic diffuser  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic ballast


**458110**

MAX.1x 14W / 24W, T16 GS



**458111**

MAX.1x 21W / 39W, T16 GS



**458112**

MAX.1x 28W / 54W, T16 GS



**458113**

MAX.1x 35W / 49W / 80W T16 GS



IP 30



# VENTUS



Malzeme : Alüminyum profil ve enjeksiyon gövde  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik trafo gövdeye montajlıdır  
Material : Extruded aluminium and die-cast body  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic transformer

454401



MAX.4x12V, 35W, QR-CBC35 GU4



454601



MAX.6x12V, 35W, QR-CBC35 GU4



454801




MAX.8x12V, 35W, QR-CBC35 GU4



IP 20









## VENTUS




Malzeme : Alüminyum profil ve enjeksiyon gövde, akrilik ön kapak  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik balast gövdeye montajlıdır

Material : Extruded aluminium and die-cast body, acrylic diffuser  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic ballast


458114

MAX.1x 14W / 24W, T16 GS



458115

MAX.1x 21W / 39W, T16 GS




458116

MAX.1x 28W / 54W, T16 GS



458117

MAX.1x 35W / 49W / 80W, T16 GS



IP 30



# VENTUS




Malzeme : Alüminyum profil ve enjeksiyon gövde  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik trafo gövdeye montajlıdır  
Material : Extruded aluminium and die-cast body  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic transformer

454402




MAX.4x12V. 35W. QR-CBC35 GU4



454602



MAX.6x12V. 35W. QR-CBC35 GU4



454802




MAX.8x12V. 35W. QR-CBC35 GU4




IP 20







## VENTUS



Malzeme : Alüminyum profil ve enjeksiyon gövde, akrilik ön kapak  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik balast gövdeye montajlıdır

Material : Extruded aluminium and die-cast body, acrylic diffuser  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic ballast


**428101**

MAX.1x 14W / 24W, T16 G5




**428102**

MAX.1x 21W / 39W, T16 G5



**428103**

MAX.1x 28W / 54W, T16 G5



**428104**

MAX.1x 35W / 49W / 80W, T16 G5



IP 30



# VENTUS




Malzeme : Alüminyum profil ve enjeksiyon gövde  
Renk : Metalik Gri, Füme, Beyaz, Siyah  
Elektronik trafo gövdeye montajlıdır

Material : Extruded aluminium and die-cast body  
Color : Metallic Grey, Graphite, White, Black  
Built-in electronic transformer

424401



MAX.4x12V. 35W. QR-CBC35 GU4



63x0993

424601



MAX.6x12V. 35W. QR-CBC35 GU4



63x1425

424801



MAX.8x12V. 35W. QR-CBC35 GU4



63x1857








IP 20










Malzeme : DKP sac gövde ve çift parabolik alüminyum reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body and double parabolic aluminium reflector  
 Color : White  
 Built-in electronic or conventional ballast

		A1	A2	B1	B2	H					
 MAX.18W..36W. T26 G13	<b>118201</b>	2x18W.	275	295	575	595	100			IP 20	
	<b>118401</b>	4x18W.	575	595	575	595	100				
	<b>118202</b>	2x36W.	275	295	1175	1195	100				
	<b>118402</b>	4x36W.	575	595	1175	1195	100				



Malzeme : DKP sac gövde ve akrilik şeffaf prizmatik lens  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body and acrylic transparent prismatic diffuser  
 Color : White  
 Built-in electronic or conventional ballast


		A1	A2	B1	B2	H					
 MAX.18W..36W. T26 G13	<b>118203</b>	2x18W.	275	295	575	595	100			IP 30	
	<b>118403</b>	4x18W.	575	595	575	595	100				
	<b>118204</b>	2x36W.	275	295	1175	1195	100				
	<b>118404</b>	4x36W.	575	595	1175	1195	100				








Malzeme : DKP sac gövde ve opal akrilik lens  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır

Material : Pressed steel body and opaline acrylic diffuser  
 Color : White  
 Built-in electronic or conventional ballast


		A1	A2	B1	B2	H	
 MAX.18W.36W. T26 G13	<b>118205</b>	2x18W.	275	295	575	595	100
	<b>118405</b>	4x18W.	575	595	575	595	100
	<b>118206</b>	2x36W.	275	295	1175	1195	100
	<b>118406</b>	4x36W.	575	595	1175	1195	100










IP 30





  






Malzeme : DKP sac gövde ve çift parabolik alüminyum reflektör  
 Renk : Beyaz  
 Elektronik balast gövdeye montajlıdır

Material : Pressed steel body and double parabolic aluminium reflector  
 Color : White  
 Built-in electronic ballast


		A1	A2	B1	B2	H	
 MAX.14W.28W. T16 G5	<b>118207</b>	2x14W.	580	595	300	315	65
	<b>118208</b>	2x28W.	1175	1190	300	315	65
	<b>118407</b>	4x14W.	580	595	580	595	65









IP 20





  






Malzeme : DKP sac gövde ve indirek perfore reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body and indirect perforation reflector  
 Color : White  
 Built-in electronic or conventional ballast

		A1	A2	B1	B2	H	
 MAX.36W..55W. TCL 2G11	<b>118209</b>	2x36W.	575	595	575	595	100
	<b>118210</b>	2x55W.	575	595	575	595	100



IP 20


F


PG

CE



Malzeme : DKP sac gövde, perfore ve çift parabolik reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body perforation with double parabolic reflector  
 Color : White  
 Built-in electronic or conventional ballast

		A1	A2	B1	B2	H	
 MAX.36W..55W. TCL 2G11	<b>118301</b>	3x36W.	575	595	575	595	100
	<b>118302</b>	3x55W.	575	595	575	595	100



IP 20

F

PG

CE









Malzeme : DKP sac gövde ve çift parabolik alüminyum reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır

Material : Pressed steel body and double parabolic  
 aluminium reflector  
 Color : White  
 Built-in electronic or conventional ballast

		A	B	H						
MAX.18W.36W. T26 G13	148201	2x18W.	345	645	95				IP 20	
	148401	4x18W.	645	645	95					
	148202	2x36W.	345	1245	95					
	148402	4x36W.	645	1245	95					



Malzeme : DKP sac gövde ve akrilik şeffaf prizmatik lens  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır

Material : Pressed steel body and acrylic transparent  
 prismatic diffuser  
 Color : White  
 Built-in electronic or conventional ballast

		A	B	H						
MAX.18W.36W. T26 G13	148203	2x18W.	345	645	95				IP 40	
	148403	4x18W.	645	645	95					
	148204	2x36W.	345	1245	95					
	148404	4x36W.	645	1245	95					





Malzeme : DKP sac gövde ve opal akrilik lens  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body and opaline acrylic diffuser  
 Color : White  
 Built-in electronic or conventional ballast

		A	B	H					
MAX.18W-36W, T26 G13	148205	2x18W.	345	645	95			IP 40	
	148405	4x18W.	645	645	95				
	148206	2x36W.	345	1245	95				
	148406	4x36W.	645	1245	95				



Malzeme : DKP sac gövde ve çift parabolik alüminyum reflektör  
 Renk : Beyaz  
 Elektronik balast gövdeye montajlıdır  
 Material : Pressed steel body and double parabolic aluminium reflector  
 Color : White  
 Built-in electronic ballast

		A	B	H					
MAX.14W-28W, T26 G13	148207	2x14W.	630	350	60			IP 20	
	148208	2x28W.	1240	350	60				
	148407	4x14W.	630	630	60				









Malzeme : DKP sac gövde ve endirek perfore reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body and indirect perforation reflector  
 Color : White  
 Built-in electronic or conventional ballast

MAX.36W./55W. TCL 2G11	148209	2x36W.	A	B	H	T	A	B	T	IP 20	F	PG	CE
			645	645	95								
	148210	2x55W.	645	645	95								



Malzeme : DKP sac gövde, perfore ve çift parabolik reflektör  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır  
 Material : Pressed steel body perforation with double parabolic reflector  
 Color : White  
 Built-in electronic or conventional ballast


MAX.36W./55W. TCL 2G11	148301	3x36W.	A	B	H	T	A	B	T	IP 20	F	PG	CE
			645	645	95								
	148302	3x55W.	645	645	95								



Malzeme : Cam elyaf katkılı polyester gövde ve akrilik ön kapak  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır

Material : Glass reinforced polyester body and acrylic diffuser  
 Color : White  
 Built-in electronic or conventional ballast

		A	B	H
<b>539103</b>	1x18W.	670	145	95
<b>539201</b>	2x18W.	670	145	95
<b>539104</b>	1x36W.	1280	145	95
<b>539202</b>	2x36W.	1280	145	95
<b>539105</b>	1x58W.	1580	145	95
<b>539203</b>	2x58W.	1580	145	95



IP 65



Fluoresan Armatürler | Fluorescent Luminaires



Malzeme : DKP sac gövde  
 Renk : Beyaz  
 Elektronik veya mekanik balast gövdeye montajlıdır

Material : Pressed steel body  
 Color : White  
 Built-in electronic or conventional ballast

		A	B	H
<b>148101</b>	1x18W.	620	50	70
<b>148211</b>	2x18W.	620	50	70
<b>148102</b>	1x36W.	1220	50	70
<b>148212</b>	2x36W.	1220	50	70
<b>148103</b>	1x58W.	1520	50	70
<b>148213</b>	2x58W.	1520	50	70



IP 20

